


AN ISO 9001 : 2008 CERTIFIED COMPANY



**DIVINE HYDRAULICS PVT. LTD.**

Reg. Office : 17, B-C-60-61/7, G.I.D.C. Udhoygnagar,  
Opp. Hariyana Gujarat Transport,  
Rajkot - 360002. (Gujarat) INDIA.  
☎ +91 - 281 - 2373644  
☎ +91 - 281 - 2381312

Factory : Plot No. G-538, G.I.D.C. Metoda,  
Nr. Rajendra Cold Storage, Kishan Gate,  
Metoda, Rajkot - 360021. (Gujarat) INDIA.  
☎ +91 -2827 - 295215  
✉ divinehydraulicspvtltd@gmail.com

Note : product pictured and specification detailed in this brochure may vary between models and equipment Addition of Extra features may change figures in the chart. Divine Hydraulic Pvt. Ltd. reserves the right to after, change, delete any details of specifications and equipment without notice. Actual body & upholstery might differ slightly from the printed photos in this brochure.

for more information visit  
[www.divinehydraulic.com](http://www.divinehydraulic.com)



## A Few Words

We would like to take this opportunity to wish all our valued customers in India more success in their current and future business ventures. **Divine Hydraulics Pvt. Ltd.** has always been driven by the needs of our customers and this has formed the Foundation of our business model. By focusing our resources on Providing quality products, unfettered Service and support, we offer customers such a level of values the cannot find any where else.

In today's highly competitive marketplace, companies must find ways to differentiate themselves if they have to maintain an economic advantage and offering superior customer services can only provide a distinct edge.

What works today, though, may not work tomorrow. The industry and the world are continuously changing and it is evident that we must draw fresh perspectives from the knowledge and information around us if we are to adapt to that change. The next important step is to share that knowledge. it is the only way to bring together the successful achievers of today with the innovative ground breakers of tomorrow.

We are pleased to present this Hydraulic Jack Trends booklet to leading engineering or earth moving equipment and agriculture product manufacturing companies in India or abroad are using to 'EAGLE' Hydraulic pump in a state of the art manufacturing facilities to produce high quality products for a worldwide market place.

Wishing you all the best.



## Company Overview

Divine Hydraulics Pvt. Ltd. Offers you various and industrial jack for all you process handling need. Divine Hydraulics Pvt. Ltd.'s Strength is quality products at affordable prices, prompt delivery and the unflinching commitment to excel. The products have been enjoying a sustained presence in the nation for over last 22 years in Hydraulic Industry.


Divine Hydraulics' product are widely used in construction, infrastructure development, agriculture or Transportation etc.

Divine Hydraulics Pvt. Ltd. was founded in year 1992, The company have Achieved reputation and trust within a very short span. Thanks to our user friendly direct Marketing, for sighted & honest Business Policy.

We are having vast expeience in the field of hydraulic pump manufacturing. Strict quality control norms maintained at various levels of production and full fledged testing facility through latest technology ensures constant quality.



Continuous development & products improvement is our motto. Divine Hydraulics Pvt. Ltd. has continually worked to develop innovative and quality products and has earned a reputation for excellence in the hydraulic industry and credited with ISO 9001:2008 certification by BSCIC Standard.

Name	: Divine Hydraulics Pvt. Ltd.
Year of incorporation	: 2008
Subsidiary of	: Divine Agro Industries (Since-1992)
Business Type	: Manufacturer, Exporter, Supplier
Standard Certification	: ISO 9001:2008 Certified
Brand name	: 'EAGLE'
Hallmark & Reg no.	: 742093
Product	: Hydraulic Cylinders and Accessories for tractor-trailers, truck, dumpers, loaders and as per desired design.
Sales & Export Market	: World Wide



Accreditation Institute for Assessment Body (Europe)

## Company Profile



## Our Focus

To produce the finest quality product and support sales with quality service to mitigate customer satisfaction.

## Our Policy

To create a bench quality control mark in service and ensure customer delight, and in doing so, serve the nation and its people.

## Our Environment

The term Business environment is composed of two words 'Business' and 'Environment'. In simple terms, the state in which a person remains busy is known as Business. The word Business in its economic sense means human activities like production, extraction or purchase or sales of goods that are performed for earning profits. On the other hand, the word 'Environment' refers to the aspects of surroundings. Therefore, Business Environment may be defined as a set of conditions - Social, Legal, Economical, Political or Institutional that are uncontrollable in nature and affects the functioning of organization. Our organization helps the development of human resource and company to grow and flourish in market, gain the opportunity so that we can develop.

## Research & Development

Research and development work continually made by Divine Hydraulics Pvt. Ltd. Focusing an advance technology of environmental compatibility has resulted in the product range that warrants safe and reliable operation in compliance with virtually all and every requirements. Divine Hydraulics Pvt. Ltd. offers design and technical assistance in developing varieties. Divine Hydraulics Pvt. Ltd. is always ready to assist customers in developing products that can be mutual benefited and to ensure Divine as an ideal partner at all time, Divine Hydraulics Pvt. Ltd. continually strives to uphold the company objective to Produce quality production and the best after sales services.



Our Focus

Our Policy



OUR  
*environment*

*environment*



Workshop



Automatic Mig Welding Machine



Automatic Mig Welding Machine



Automatic Honing Machine



Quality Product Machining




## Our Technology

Designed and built for the demanding application of the 21<sup>st</sup> century.

Today, many industrial application demand more from hydraulic and pneumatic cylinders than ever before. Greater Pressures, Higher Speeds, Closer Tolerances, Zero leakage performance demands require true premium quality cylinders... such as the product line offered by 'EAGLE' cylinders.

For over a century 'EAGLE' has earned a reputation as industrial innovators. We continually strive to stay on the leading edge of mation contrail technology by utilizing the latest in state of the art, designs and materials in our products. What's more, only 'EAGLE' cylinders with custom welded units as well.



Quality Product Accuracy



Pressure Testing and Fitting Machine



Fully Automatic Machining and Manufacturing Unit



For EARTH mover



For EARTH mover



### Dozer Hydraulic Cylinder

- Cylinder Size : 75 mm X 90 mm  
horned tube
- Ram Size : 50 mm  
micro finished grinding  
hard chrome plated
- Stroke : 609 mm
- Pin Center : 7" (178 mm)  
(Pin to trunnion)
- Oil Seal : Technolan / Hallite



### Dozer Hydraulic Cylinder

- Cylinder Size : 63 mm X 75 mm / horned tube
- Ram Size : 40 mm / micro finished  
grinding, hard chrome plated
- Pin Center : 18" (457 mm)  
(Pin to trunnion)
- Close Center : 30" (762 mm)  
(Top to Bottom)
- Stroke : 21" (533 mm)
- Oil Seal : Technolan / Hallite



### Loader Hydraulic Cylinder

- Cylinder Size : 70 mm X 84 mm
- Ram Size : 45 mm  
micro finished grinding hard  
chrome plated
- Close Center : 48" (1219 mm)
- Close Center : 30" (762 mm)  
And also specifications and  
sizes are developed as per  
requirement



### Front Dozer Hydraulic Cylinder

- Cylinder Size : 60 mm X 75 mm / horned tube
- Ram Size : 30/36 mm / micro finished  
grinding hard chrome plated
- Close Center : 24" (609 mm)
- Stroke : 12" (305 mm)
- Oil Seal : Technolan / Hallite



For **TRACTOR trolley**



**15 - TON (High Speed)**



For  
**TRACTOR**  
trolley

**5 - TON**

**5 - TON 26"**



Cylinder Size : OD 127 mm x ID 111 mm  
 Length : 21.5" (546 mm)  
 Piston Size : OD 86.7 mm x ID 76 mm  
 Length : 19.5" (495 mm)  
 Ram : OD 49.5 mm  
 Length : 20" (508 mm)  
 Pin Center : 26" (660 mm)  
 Pin Size : Top 32.5 mm x Bottom 38 mm  
 Oil Seal : U Seal / Canvas / PU  
 Design : Telescopic

**5 - TON 30"**



Cylinder Size : OD 127 mm x ID 111 mm  
 Length : 25" (635 mm)  
 Piston Size : OD 86.7 mm x ID 76 mm  
 Length : 23" (584 mm)  
 Ram : OD 49.5 mm  
 Length : 23.25" (590 mm)  
 Pin Center : 30" (762 mm)  
 Pin Size : Top 32.5 mm x Bottom 38 mm  
 Oil Seal : U Seal / Canvas / PU  
 Design : Telescopic

**5 - TON 33"**



Cylinder Size : OD 127 mm x ID 111 mm  
 Length : 28" (711 mm)  
 Piston Size : OD 86.7 mm x ID 76 mm  
 Length : 26" (660 mm)  
 Ram : OD 49.5 mm  
 Length : 26.5" (673 mm)  
 Pin Center : 33" (838 mm)  
 Pin Size : Top 32.5 mm x Bottom 38 mm  
 Oil Seal : U Seal / Canvas / PU  
 Design : Telescopic



**15 - TON 26"**



Cylinder Size : OD 127 mm x ID 111 mm  
 Length : 20.25" (514 mm) Horned Tube  
 Piston Size : OD 87 mm x ID 76 mm  
 Length : 19.5" (495 mm) Horned Tube  
 Micro Finished Grinding,  
 Hard Chrome Plated  
 Ram : OD 52.7 mm  
 Length : 20" (508 mm) Micro Finished  
 Hard Chrome Plated  
 Pin Center : 26" (660 mm)  
 Pin Size : Top 32.5 mm x Bottom 38 mm  
 Oil Seal : PU Seal  
 Design : Telescopic

**15 - TON 30"**

OD 127 mm x ID 111 mm  
 24.25" (615 mm) Horned Tube  
 OD 87 mm x ID 76 mm  
 23.5" (596 mm) Horned Tube  
 Micro Finished Grinding,  
 Hard Chrome Plated  
 OD 52.7 mm  
 24" (609 mm) Micro Finished  
 Hard Chrome Plated  
 30" (762 mm)  
 Top 32.5 mm x Bottom 38 mm  
 PU Seal  
 Telescopic

**15 - TON 33"**

OD 127 mm x ID 111 mm  
 27.25" (692 mm) Horned Tube  
 OD 87 mm x ID 76 mm  
 26" (660 mm) Horned Tube  
 Micro Finished Grinding,  
 Hard Chrome Plated  
 OD 52.7 mm  
 26.5" (673 mm) Micro Finished  
 Hard Chrome Plated  
 33" (838 mm)  
 Top 32.5 mm x Bottom 38 mm  
 PU Seal  
 Telescopic

# For TRACTOR trolley

## 3 - TON



	3 - TON 26"	3 - TON 30"
Cylinder Size	: OD 114 mm x ID 100 mm	OD 114 mm x ID 100 mm
Length	: 21.5" (546 mm)	25" (635 mm)
Piston Size	: OD 86.7 mm x ID 76 mm	OD 86.7 mm x ID 76 mm
Length	: 19.5" (495 mm)	23" (584 mm)
Ram	: OD 49.5 mm	OD 49.5 mm
Length	: 20" (508 mm)	24" (609 mm)
Pin Center	: 26" (660 mm)	30" (762 mm)
Pin Size	: Top 32.5 mm x Bottom 38 mm	Top 32.5 mm x Bottom 38 mm
Oil Seal	: U Seal / Canvas / PU	U Seal / Canvas / PU
Design	: Telescopic	Telescopic



	3 - TON 33"	3 - TON 36"
Cylinder Size	: OD 114 mm x ID 100 mm	OD 114 mm x ID 100 mm
Length	: 28" (711 mm)	28" (711 mm)
Piston Size	: OD 86.7 mm x ID 76 mm	OD 86.7 mm x ID 76 mm
Length	: 26" (660 mm)	26" (660 mm)
Ram	: OD 49.5 mm	OD 49.5 mm
Length	: 26.5" (673 mm)	32" (812 mm)
Pin Center	: 33" (838 mm)	36" (914 mm)
Pin Size	: Top 32.5 mm x Bottom 38 mm	25 mm (Both)
Oil Seal	: U Seal / Canvas / PU	U Seal / Canvas / PU
Design	: Telescopic	Telescopic



## 8 - TON (High Speed)



	8 - TON 26"	8 - TON 30"	8 - TON 33"
Cylinder Size	: OD 140 mm x ID 125 mm	OD 140 mm x ID 125 mm	OD 140 mm x ID 125 mm
Length	: 21.5" (546 mm)	25" (635 mm)	28" (711 mm)
Piston Size	: OD 86.7 mm x ID 76 mm	OD 86.7 mm x ID 76 mm	OD 86.7 mm x ID 76 mm
Length	: 19.5" (495 mm)	23" (584 mm)	26" (660 mm)
Ram	: 52.7 mm	52.7 mm	52.7 mm
Length	: 20" (508 mm)	23.25" (590 mm)	26.5" (673 mm)
Pin Center	: 26" (660 mm)	30" (762 mm)	33" (838 mm)
Pin Size	: Top 32.5 mm x Bottom 38 mm	Top 32.5 mm x Bottom 38 mm	Top 32.5 mm x Bottom 38 mm
Oil Seal	: U Seal / Canvas / PU	U Seal / Canvas / PU	U Seal / Canvas / PU
Design	: Telescopic	Telescopic	Telescopic

## Application



Designing and manufacturing  
**CUSTOM** cylinders

Since

**22**

Years



# accessories



- 01 - Male & Female Valve  
(a) Only Male, (b) Only Female
- 02 - Quick Relief Valve (QRC)  
(a) Only Female (b) Only Male
- 03 - Dust Cap & Plug Set  
(a) Only Cap (b) Only Dust
- 04 - Benjo 'T'
- 05 - Extra Nipple For Any Tractor  
(a) Eicher & Sonalika Tractor  
(b) Escort Tractor  
(c) HMT Tractor
- 06 - Benjo Bolt (Any Tractor)
- 07 - Outer Thread Nipple
- 08 - Inner Thread Nipple
- 09 - Joint Nipple
- 10 - Copper Vocs For Any Tractor
- 11 - Oil Seal Set-Canwas
- 12 - Oil Seal Set-Rubber
- 13 - 'O' Ring Set
- 14 - Oil Seal for Double Action Cylinder
- 15 - Oil Seal for 15 Ton Hi-Speed Cylinder
- 16 - Tractor Steel Pipe Any Tractor
- 17 - Hydraulic Hose Pipe For Tractor Trailer, Dumper, Loader, JCB, Hitachi and as per Requirement

